DoP PGPCR001 page 1 / 3

# PGPCR

Issued in accordance with the Construction Products Regulation (CPR) 305/2011/EU. pgb-Europe nv hereby declares that the products mentioned below comply with the requirements of:

### EN 14566 2008+A1 2009 – Mechanical fasteners for gypsum plasterboard systems

- 1. Unique identification code of the product-type: PGPCR
- Type or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
  See annex 1 to this document
- 3. Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:

Generic type:	Drywall screws with coarse thread reverse thread under the head, Phillips recess
Material:	Carbon steel ASTM-SAE C1018-C1022 (case hardened)
Corrosion protection:	Black/dark grey phosphated, above class 48
-	Zinc plating Cr3+, minimum 5 µm above class 24
Reaction to fire:	Classification A1 according to EN13501-1
Intended use:	Mechanical fasteners for the fixing of gypsum plasterboard on wooden
	battens

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):

#### pgb-Europe nv – Gontrode Heirweg 170 – 9090 Melle – Belgium

- Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2): NOT RELEVANT
- System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 4
- 7. In case of the declaration of performance concerning a construction product covered by a harmonized

standard:	EN 14566:2008-A1 2009
under system:	4
and issued:	Initial Type Test report n° PGB9927454

8. In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued: NOT RELEVANT



DoP PGPCR001 page 2 / 3

9. Declared performance:

Essential characteristics	Performance
Reaction to fire (in exposed situations)	A1
Flexural strength	PASS

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue	Company stamp
Melle, 09/09/2015	nv pgb-Europe sa Gontrode Heirweg 170 9090 MELLE BE 0425 888 396

#### DoP PGPCR001 page 3 / 3

## Annex 1 : Product overview

Phosphated	Zinc plated	
PGPCRG39035 FOS	PGPCRG39035 Z	
PGPCRG39045 FOS	PGPCRG39045 Z	
PGPCRG39055 FOS	PGPCRG39055 Z	
PGPCRK39035 FOS	PGPCRK39035 Z	
PGPCRK39045 FOS	PGPCRK39045 Z	
PGPCRK39055 FOS	PGPCRK39055 Z	



pgb-